Rapport från cancervården Samverkansnämnden

Lägesrapport september 2020


Lena Sharp, Chef RCC Stockholm-Gotland

Region Gotland
Region Stockholm
REGIONAL CANCER CENTRE STOCKHOLM GOTLAND

Screening

- Rejäl nedgång i hörsamhet till screening redan innan paus
- Samtliga screeningprogram är öppnade men med anpassningar
  - Tidsbokning
  - Väntrum
  - Skyddsutrustning
  - Prioriterade grupper
- Informationsinsatser genomförda men behöver fortsätta och utökas
  - 1177, Cancerrådgivningen, telefonrådgivning screening, media, patientföreningar, hälsoinformatörer
- Hörsamheten behöver förbättras!
  - Strategier pågår för att öka deltagandet (information, tillgänglighet, egenprovtagning, utökning åldersintervall)

Deltagande efter inbjudan på mammografiscreening kvinnor 40-74 år




Drygt 18 000 kvinnor (70-74 år) har inte kallats till mammografi 2020!

Vi måste öka hörsamheten!


Minskning av nya cancerfall

PERIOD-BLÅTT: Jämförelse jan-jul 2020 med snittet för motsv. period 16-19.
MÅNAD - GRÖN: Jämförelse april, maj, juni resp juli 2020 med snittet för respektive månad 16-19.
Q2 + JULI GULT: Jämför det ackumulerade antalet Q2+juli 2020 med snittet för motsv. period 16-19.

Obs att den procentuella skillnaden mellan jan-jul 2020 och Q2+juli 2020 visar ffa effekten av utspädning dvs minskningen av antalet fall är ungefär den samma. Fortsättningsvis redovisas pandeminorsakad skillnad i antal/% (dvs Q2 + juli – GULT)




PERIOD	
Jan-jul 20 jfr 16-19	**-1346**
%	**-14%**
MÅNAD	
Apr 20jfr april 16-19	**-302**
%	-22%
Maj 20 jfr maj 16-19	**-702**
%	-43%
Juni 20 jfr juni 16-19	**-229**
%	-16%
Juli 20 jfr juli 16-19	**-150**
%	-13%
Q2 + juli	
O2 + juli 20 jfr 16-19	**-1383**
%	**-25%**



Vi ser 1383 färre nya cancerfall mot vad man skulle förvänta sig under perioden där förändringen varierar i storlek mellan olika cancerformer. Skillnaden mellan dessa kan ha fler orsakar såsom ålderprofil, hur pass påtagliga symtomen är, behovet av fysiskt o/el avancerad undersökning för att erhålla diagnos. Angiven % ger en uppfattning om kapacitetsbehovet i vården.

Andelpatienter som fått vård i tid enligt SVF


Stockholm




Nationellt ledtidsmål: 80% av alla patienter som utreds och får behandling inom ramen för SVF ska få sin behandling i tid

Andelen av rapporterade patienter som fått vård i tid inom ramen för SVF. Antalet inrapporterade patienter följer ganska väl den kurva vi ser i de andra diagrammen.

SVF


100
90
80
70
60
50
40
30
20
10
0
Vår 2017
Höst 2017
Vår 2018
Höst 2018
Vår 2019
Höst 2019
Vår 2020
Höst 2020
RCC Stockholm Gotland
Gotland
Stockholm
Riket



Andel apr-jun 16-19
13%
Andel apr-jun 2020
17%

Ett sätt att utvärdera om cancersjukdom diagnostiseras i ett senare skede är att titta på andelen patienter med nyadiagnostiserade cancer som har metastaserad sjukdom

Original article

doi:10.1111/codi.15289

Improvement of the experience of colorectal cancer patients in Sweden with a regional cancer plan

A. Sjövall*†'‡, L. Söderqvist§, A. Martling† and C. Buchli*'†

*Division of Coloproctology, Department of Pelvic Cancer, Karolinska University Hospital, Stockholm, Sweden, †Department of Molecular Medicine and Surgery, Karolinska Institutet, Stockholm, Sweden, ‡Regional Cancer Centre Stockholm-Gotland, Stockholm, Sweden, and §Department of Surgery, Södersjukhuset, Stockholm, Sweden

Received 11 March 2020; accepted 30 May 2020; Accepted Article online 1 August 2020

Abstract

Aim The Stockholm-Gotland Regional Cancer Plan was launched in 2012 to improve cancer care. A personal contact nurse (CN), an individual written care plan (IWCP) and a standardized care pathway (SCP) were introduced. The aim of the current study was to evaluate whether these efforts have resulted in an improved experience for patients treated for colorectal cancer.

Method Patients treated with bowel resection for colorectal cancer in the Stockholm-Gotland region between 1 January 2013 and 31 December 2017 were identified through the Swedish Colorectal Cancer Registry. Six to eight months postoperatively, the patients received a patient-reported experience questionnaire. Patients were classified as 'satisfied' or 'not satisfied'.

Results The questionnaire was sent to 4465 patients, and 3154 (70.64%) responded. The proportion of patients assigned a CN increased over time (79.84%–88.44%) and so did the proportion of patients receiving an IWCP (39.36%–70.00%). The waiting times were significantly shortened during the study period. In multivariable analysis, access to a CN and an IWCP was independently associated with increased patient satisfaction (OR 3.03, 95% CI 2.28–4.02 and OR 1.64, 95% CI 1.38–1.94). Patients with a long waiting time were significantly less satisfied than patients with a short waiting time (OR 0.72, 95% CI 0.60–0.88).

Conclusion Implementation of a CN, IWCP and SCP has been successful, measured by a higher proportion of patients gaining access to these assets and shortened waiting times. This has led to an improved patient experience in patients treated for colorectal cancer in the Stockholm-Gotland region.

Keywords Colorectal cancer, Patient-reported experience measures, cancer plan, population-based

What does this paper add to the literature?

This is a population-based study on how organizational projects have improved the experience of colorectal cancer patients. Many projects aimed at improving cancer care are targeted towards patient experience, but scientific evaluations of such projects are scarce. This study aims to fill this void.

TACK!

lena.sharp@sll.se